



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
|-----------------|-------------|----------------------|---------------------|------------------|

10/085,414

02/28/2002

Ruben Aguirre

PA5204

3212

7590

09/09/2004

DON FINKELSTEIN
ATTORNEY FOR APPLICANT
SUITE 216
3858 CARSON STREET
TORRANCE, CA 90503

EXAMINER

HOWELL, DANIEL W

ART UNIT

PAPER NUMBER

3722

DATE MAILED: 09/09/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/085,414

Applicant(s)

AGUIRRE, RUBEN

Examiner

Daniel W. Howell

Art Unit

3722

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-8 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 February 2002 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

Art Unit: 3722

1. Substitute drawings are **required** in response to this Office action. The drawings as originally filed are of quite poor quality, such that it is extremely difficult to discern any details in the drawings.

2. The disclosure is objected to because of the following informalities: The Brief Description of the Drawings section should discuss figures 2 through 5 separately and individually.

Appropriate correction is required.

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1 and 5 are rejected under 35 U.S.C. 102(b) as being anticipated by Scholz et al.

Figure 4 shows two frustum cutters 17, 19, which are located at different skew angles relative to the axis of rotation of the tool. Head 2, 12, has axial flute portions 4 which feed into a helical flute formed at 13 and leading to the rear of the tool.

5. Claim 2, 7, and 8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. On line 3 of claim 2 and lines 18-19 of claim 8, the phrase “and one of said first and said second axial extending flute” is clearly incomplete. It is not clear how the plane or cutting portions of claim 7 extend relative to the central axis.

Art Unit: 3722

6. Claim 8 is objected to because of the following informalities: Lines 7-11 of claim 8 should be amended with commas at the appropriate locations in order to more clearly set forth the individual concepts. Appropriate correction is required.

7. Claims 1-4 and 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Rumpp et al. As seen in figure 3, frustum cutters 5 are located at the same skew angle relative to the axis of rotation. Flutes 6, 10, in the outer portion of the head 2 and helical ribs 9 convey cuttings in the direction of the shank (column 2, lines 47-53). Figure 2 shows the cutters 5 are diametrically opposed. As seen from figure 3, the frustum cutters extend slightly outward from the periphery of the tool.

8. Claim 7 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Page 3 of the specification and claim 7 state that the cutters have cutting portions which lie in planes perpendicular to the central axis. It is not clear exactly how this configuration appears.

9. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the particular configuration of the cutters as set forth in claim 7 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended.

Art Unit: 3722

The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

10. Any inquiry concerning the content of this communication from the examiner should be directed to Daniel Howell, whose telephone number is 703-308-1728. The examiner's office hours are typically about 10 am until 6:30 pm, Monday through Friday. The examiner's supervisor, Andrea Wellington, may be reached at 703-308-2159.

Any inquiries concerning other than the content of this and previous communications, such as missing references or filed papers not acknowledged, should be directed to the Customer Service Center for Tech Center 3700 at 703-306-5648.

In order to reduce pendency and avoid potential delays, Group 3720 is encouraging FAXing of responses to Office actions directly into the Group at FAX number 703-872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a USPTO deposit account. Please identify Examiner Daniel Howell of Art Unit 3722 at the top of your cover sheet.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is 703-308-1148.



Daniel W. Howell
Primary Examiner
Art Unit 3722